Aquaculture

VOL. 285 NOS. 1–4 CONTENTS 7 DECEMBER 2008

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS®. Full text available in ScienceDirect®

Policy statement for submission of manuscripts to the Genetics Section 1

Diseases

A laboratory study to evaluate the use of emamectin benzoate in the control of sea lice in sea-ranched Atlantic salmon (*Salmo salar* L.)
O.T. Skilbrei, K.A. Glover, O.B. Samuelsen and B.T. Lunestad (Bergen, Norway) 2

Pathogenicity of *Vibrio harveyi* to cultured marine fishes in Korea
K.M. Won and S.I. Park (Busan, Republic of Korea). 8

Is spermatophore melanisation in captive shrimp (*Litopenaeus vannamei*) a result of an auto-immune response?
S. Diamond, A. Powell, R.J. Shields and A.F. Rowley (Swansea, UK) 14

Prevalence of monodon baculovirus (MBV) in wild shrimp *Penaeus monodon* in the Philippines
L.D. de la Peña, C.R. Lavilla-Pitogo, C.B.R. Villar, M.G. Paner and G.C. Capulos (Iloilo, Philippines) 19

Genetics

QTL mapping designs for aquaculture
C. Massault (Roslin, United Kingdom; Wageningen, The Netherlands), H. Bovenhuis (Wageningen, The Netherlands), C. Haley and D.-J. de Koning (Roslin, United Kingdom) 23

Development of two new microsatellite multiplex PCRs for three sparid species: Gilthead seabream (*Sparus auratus* L.), red porgy (*Pagrus pagrus* L.) and redbanded seabream (*P. auriga*, Valenciennes, 1843) and their application to paternity studies
A. Navarro, R. Badilla, M.J. Zamorano, V. Pasamontes, S. Hildebrandt (Las Palmas, Spain), J.J. Sánchez (Sta. Cruz de Tenerife, Spain) and J.M. Afonso (Las Palmas, Spain) 30

Modelling the use of gene expression profiles with selective breeding for improved disease resistance in Atlantic salmon (*Salmo salar*)
N. Robinson (Ås, Norway) and B. Hayes (Ås, Norway; Victoria, Australia). 38

Accounting for genotype by environment interaction in economic appraisal of genetic improvement programs in common carp *Cyprinus carpio*
R.W. Ponzoni, N.H. Nguyen, H.L. Khaw (Penang, Malaysia) and N.H. Ninh (Bac Ninh, Vietnam) 47

(continued on p.277)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- **Table of Contents NOW WITH ABSTRACTS**
- **Full Search on Abstracts, Authors and Keywords**
- **Author and Subject Index**

Bookmark: http://www.elsevier.com/locate/aqua-online
or http://www.elsevier.com/locate/aqua-online

0044-8486(20081207)285:1-4;1-5

Available online at www.sciencedirect.com
ScienceDirect

An acyl homoserine lactone-degrading microbial community improves the survival of first-feeding turbot larvae (*Scophthalmus maximus* L.)
N.T.N. Tinh (Gent, Belgium; Hochiminh City, Vietnam), V.H.N. Yen (Hochiminh City, Vietnam), K. Dierckens, P. Sorgeloos and P. Bossier (Gent, Belgium) 56

Husbandry and Management

Growth and maturation of Atlantic salmon (*Salmo salar*) populations with different grilse proportions under natural photoperiod and superimposed nighttime light
D.A. Guerrero-Tortolero and N. Bromage (Stirling, Scotland, UK) 63

The effects of season, temperature and photoperiod on the gonad development of *Evechinus chloroticus*
P.J. James and P.L. Heath (Wellington, New Zealand) 67

A comparative study of common carp (*Cyprinus carpio* L.) and calbasu (*Labeo calbasu* Hamilton) on bottom soil resuspension, water quality, nutrient accumulations, food intake and growth of fish in simulated rohu (*Labeo rohita* Hamilton) ponds
M.M. Rahman, Q. Jo, Y.G. Gong (Gangwon, Republic of Korea), S.A. Miller (Logan, UT, USA) and M.Y. Hossain (Rajshahi, Bangladesh) 78

Growth, feeding and oxygen consumption of Senegalese sole (*Solea senegalensis*) juveniles stocked at different densities
E. Salas-Leiton, V. Anguis, M. Manchado and J.P. Cañavate (Cádiz, Spain) 84

Depuration of microcystin-LR from the red swamp crayfish *Procambarus clarkii* with assessment of its food quality
E. Tricarico, S. Bertocchi, S. Brusconi, E. Casalone, F. Gherardi, G. Giorgi, G. Mastromei and G. Parisi (Firenze, Italy) 90

Responses of *Mitrella lunata* and *Caprella* spp., potential tunicate micropredators, in Prince Edward Island estuaries to acetic acid anti-fouling treatments
S.C. Paetzold, J. Davidson and D. Giberson (Charlottetown, PEI, Canada) 96

Acute toxicity of some treatments commonly used by the salmonid aquaculture industry to *Corophium volutator* and *Hediste diversicolor*: Whole sediment bioassay tests
D.J. Mayor, M. Solan, I. Martinez, L. Murray, H. McMillan (Newburgh, UK), G.I. Paton and K. Killham (Aberdeen, UK) 102

Reproductive cycle and conditioning of translocated scallops (*Pecten maximus*) from five broodstock populations in Norway
T. Magnesen and G. Christophersen (Bergen, Norway) 109

Cryopreservation of sperm from Murray cod, *Maccullochella peelii peelii*
J. Daly, D. Galloway (Clayton, Victoria, Australia), W. Bravington (Snob's Creek, Victoria, Australia), M. Holland (Clayton, Victoria, Australia) and B. Ingram (Snob's Creek, Victoria, Australia). 117

Effect of different shrimp pond bottom soil treatments on the change of physical characteristics and pathogenic bacteria in pond bottom soil
S. Nimrat, S. Suksawat, P. Maleeweach and V. Vuthiphandchai (Chonburi, Thailand) 123

Isolation and characterization of a thermally stable collagen preparation from the outer skin of the silver carp *Hypophthalmichthys molitrix*
S. Rodziewicz-Motowidło, A. Śladewska, E. Mulkiewicz, A. Kołodziejczyk (Gdańsk, Poland), A. Aleksandrowicz, J. Miszkiewicz (Straszyn, Poland) and P. Stepnowski (Gdańsk, Poland) 130

Evaluation and use of the Lactate Pro, a portable lactate meter, in monitoring the physiological well-being of farmed Atlantic cod (*Gadus morhua*)
J.A. Brown (Crediton, Exeter, UK), J. Watson, A. Bourhill (Shetland Isles, UK) and T. Wall (Inverness, UK) 135

Nutrition

Apparent digestibility coefficients of selected feed ingredients for Chinese mitten crab *Eriocheir sinensis*
Z. Luo, X.-y. Tan, Y.-d. Chen, W.-m. Wang (Wuhan, China) and G. Zhou (Nanjing, China) 141

Global overview on the use of fish meal and fish oil in industrially compounded aquafeeds: Trends and future prospects
A.G.J. Tacon and M. Metian (Kaneohe, HI, USA) 146

Evaluation of changes in nutrient composition during production of cross-linked protein microencapsulated diets for marine fish larvae and suspension feeders
A. Nordgreen (Bergen, Norway), M. Yúfera (Cadiz, Spain) and K. Hamre (Bergen, Norway) 159

Fatty acid composition of larvae of the sand dollar *Dendraster excentricus* (Echinodermata) might reflect FA composition of the diets
S.B. George, C. Fox (Statesboro, Georgia, United States) and S. Wakeham (Savannah, Georgia, United States) 167

Uptake of iodide from water in Atlantic halibut larvae (*Hippoglossus hippoglossus* L.)
M. Moren (Bergen, Norway), J.J. Sloth (Bergen, Norway; Søborg, Denmark) and K. Hamre (Bergen, Norway) 174

Biochemical studies on the interactive effects of dietary choline and inositol in juvenile Kuruma shrimp, *Marsupenaeus japonicus* Bate
F.R. Michael (Kagoshima, Japan; Alexandria, Egypt) and S. Koshio (Kagoshima, Japan) 179

Effect of zinc and manganese supplementation in *Artemia* on growth and vertebral deformity in red sea bream (*Pagrus major*) larvae
V.T. Nguyen (Tokyo, Japan; Bac Ninh, Viet Nam) S. Satoh, Y. Haga (Tokyo, Japan), H. Fushimi and T. Kotani (Bac Ninh, Viet Nam) 184
Novel production of Atlantic salmon (*Salmo salar*) protein based on combined replacement of fish meal and fish oil with plant meal and vegetable oil blends
B.E. Torstensen, M. Espe, M. Sanden, I. Stubhaug, R. Waagbø, G.-I. Hemre (Bergen, Norway), R. Fontanillas (Stavanger, Norway), U. Nordgarden (Matredal, Norway), E.M. Hevrøy, P. Olsvik and M.H.G. Berntssen (Bergen, Norway) 193

Physiology and Endocrinology
Comparison of reproductive output, offspring quality, ovarian histology and fatty acid composition between similarly-sized wild and domesticated *Farfantepenaeus paulensis*
S. Peixoto (Recife, Rio Grande, Brazil), W. Wasielesky Jr. (Rio Grande, Brazil), R.C. Martino (Rio de Janeiro, Brazil), Â. Milach (Rio Grande, Brazil), R. Soares and R.O. Cavalli (Recife, Rio Grande, Brazil) 201
The pineal complex of Senegalese sole (*Solea senegalensis*): Anatomical, histological and immunohistochemical study
F. Confente (Puerto Real, Spain), A. El M'Rabet (Puerto Real, Spain; Tétouan, Morocco), A. Ouarour (Tétouan, Morocco), P. Voisin (Poitiers Cedex, France), W.J. De Grip (The Netherlands), M.C. Rendón and J.A. Muñoz-Cueto (Puerto Real, Spain) 207
Effects of estradiol-17β on survival, growth performance, sex reversal and gonadal structure of bluegill sunfish *Lepomis macrochirus*
H.-P. Wang (Piketon, Ohio, USA), Z. Gao (Piketon, Ohio, USA; Hubie, PR China), B. Beres (Piketon, Ohio, USA), J. Ottobre (Columbus, OH, USA), G. Wallat, L. Tiu, D. Rapp, P. O'Bryant and H. Yao (Piketon, Ohio, USA) 216
Persistent organic pollutants in aquafeed and Pacific salmon smolts from fish hatcheries in British Columbia, Canada
B.C. Kelly, M.P. Fernandez, M.G. Ikonomou (Sidney, British Columbia, Canada) and W. Knapp (Vancouver, BC, Canada) . . . 224
Metabolic modulation in *Labeo rohita* fingerlings during starvation: Hsp70 expression and oxygen consumption
S. Yengkokpam, A.K. Pal, N.P. Sahu, K.K. Jain, R. Dalvi (Mumbai, India), S. Misra (Saskatoon, Canada) and D. Debnath (Mumbai, India) 234
Immune condition of *Apostichopus japonicus* during aestivation
F. Wang (Qingdao, Beijing, PR China), H. Yang (Qingdao, PR China), H.R. Gabr (Ismailia, Egypt) and F. Gao (Qingdao, Beijing, PR China) 238
Oxidative stress response of black tiger shrimp (*Penaeus monodon*) to enrofloxacin and to culture system
H.T. Tu (Namur, Belgium; Chan Tho City, Vietnam), F. Silvestre, A. Bernard (Namur, Belgium), C. Douny (Liege, Belgium), N.T. Phuong, C.T. Tao (Can Tho City, Vietnam), G. Maghuin-Rogister (Liege, Belgium) and P. Kestemont (Namur, Belgium) 244
Development of models of threshold and efficient algal densities for larval and juvenile tilapia *Oreochromis niloticus* on raw *Spirulina*
J. Lu, H. Satoh and T. Takeuchi (Tokyo, Japan) 249

Short Communications
Patterns of resistance to florfenicol and bicyclomycin in Brazilian strains of motile aeromonads
D.T. Godoy, G.F. Mian (Lavras, Brazil), R. Zanolo (Cotia, Brazil), T.Y. Yuhara, F.C. Faria and H.C.P. Figueiredo (Lavras, Brazil) . . 255
A set of nuclear DNA markers diagnostic for marble trout, *Salmo marmoratus*
S. Sušnik, U. Sivka and A. Snoj (Domžale, Slovenia) 260
Technical improvements of a rearing system for the culture of decapod crustacean larvae, with emphasis on marine ornamental species
R. Calado (Faro, Aveiro, Portugal), T. Pimentel, A. Vitorino (Lisboa, Portugal), G. Dionísio and M.T. Dinis (Faro, Portugal) . . . 264
Tolerance of juvenile pompano *Trachinotus marginatus* to acute ammonia and nitrite exposure at different salinity levels
L.D.F. Costa, K.C. Miranda-Filho, M.P. Severo and L.A. Sampaio (Rio Grande, Brazil) 270
Reducing inter-operator variation in disc diffusion assays by the inclusion of internal controls in a standard susceptibility test protocol
P. Smith, G.T.A. Fleming and C. Carroll (Galway, Ireland) 273